

SIDDHA VENTURES LIMITED

Regd. Office: "Sethia House", 1st Floor, 23/24, Radha Bazar Street, Kolkata-700001

Phone: +91 33 2242 9199/5335 Fax: +91 33 2242 8667 E-mail: response@siddhaventures.com

Cin: L67120WB1993PLC05364G

Date: 30.05.2020

To, THE DEPARTMENT OF CORPORATE SERVICES BOMBAY STOCK EXCHANGE LIMITED, P.J TOWERS, DALAL STREET, MUMBAI-400001 Script Code: 530439	To, THE LISTING DEPARTMENT CALCUTTA STOCK EXCHANGE LIMITED 7, LYONS RANGE, DALHOUSIE, KOLKATA -700001 Script Code: 10019045
---	--

Sub: Intimation/ Disclosure of event under Regulation 30 of the SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015- Impact of CoVID-19

Dear Sir,

Pursuant to Regulation 30 read with Schedule III of the SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015, and in reference to our earlier letter dated 01st April, 2020 wherein we have informed the Exchange that employees are working from home wherever possible due to COVID-19 pandemic, we hereby wish to inform that as soon as the office resumes in the normal working condition we will intimate about the same to the Stock Exchange thereon.

The Company is adhering all preventive measures as per various circulars of Government of India and State Government(s) at all its working places.

In terms of SEBI circular no. SEBI/HO/CFD/CMD1/CIR/P/2020/84 dated May 20, 2020, the company is assessing the future impact of CoVID-19 pandemic on its operations, profitability, liquidity position & demand for its products etc.

The Company will intimate the same at the time of declaration of financial results for the half year and year ended as on March 31, 2020.

Further, we hereby inform that Cyclone AMPHAN struck the various districts in West Bengal on 20th May, 2020 due to which hindrance of work occurred for few days because of the disconnection of electricity, disturbed network and internet.


This is for your information and record.

Thanking you,

Yours faithfully,

For, SIDDHA VENTURES LIMITED




[SIDDHARTH SETHIA]
[DIRECTOR]
[DIN -00038970]